Journal of Biochemical and Biophysical Methods, 24 (1992) 327–329

© 1992 Elsevier Science Publishers B.V. All rights reserved 0165-022X/92/$05.00

Contents of Volume 24

No. 1,2

Research Articles

P.-J. Flamion, C. Cachia and J.-P. Schreiber (France)
Non-linear least-squares methods applied to the analysis of fluorescence energy transfer measurements 1

P. Butko, I. Hapala, G. Nemecz and F. Schroeder (U.S.A.)
Sterol domains in phospholipid membranes: dehydroergosterol polarization measures molecular sterol transfer 15

E. Latres, J.-A. Fernández-López, X. Remesar and M. Alemany (Spain)
An enzymatic method for the estimation of L-leucine in rat blood 39

H. Gu, D. Wilson and J. Inselburg (U.S.A.)
Recovery of DNA from agarose gels using a modified Elutrap™ 45

M. Márquez-Méndez (France)
Purification of carboxypeptidase B by metal chelation affinity chromatography 51

R. Urrutia and B. Kachar (U.S.A.)
An improved method for the purification of kinesin from bovine adrenal medulla 63

S. Gosselin, B.M. Martin, G.J. Murray and T. Viswanatha (Canada, U.S.A.)
Flavobacterium meningosepticum peptide: *N*-glycosidase: influence of ionic strength on enzymatic activity 71

D.C. Schweisguth and R.H. Hammerstedt (U.S.A.)
Evaluation of plasma membrane stability by detergent-induced rupture of osmotically swollen sperm 81

E. Hazum, A. Shisheva and Y. Shechter (U.S.A., Israel)
Preparation and application of radioiodinated sulfhydryl reagents for the covalent labeling of SH-proteins present in minute quantities 95

K. Morimoto and K. Inouye (Japan)
Single-step purification of $F(ab')_2$ fragments of mouse monoclonal antibodies (immunoglobulins G1) by hydrophobic interaction high performance liquid chromatography using TSKgel Phenyl-5PW 107

J.F. Schmitt, M. Guthridge, C. Economou, J. Bertolini and M.T.W. Hearn (Australia)
A new quantitative polymerase chain reaction-high performance ion exchange liquid chromatographic method for the detection of fibroblast growth factor-β (FGF-β) gene amplification 119

M.G. Bridelli, R. Capelletti and A. Vecli (Italy)
Sequential hydration-dehydration studies of lysozyme by the thermally stimulated depolarization currents (TSDC) technique 135

Short Note
G.R. Buettner and K.P. Kiminyo (USA)
Optimal EPR detection of weak nitroxide spin adduct and ascorbyl free radical signals 147

No. 3,4

Research Articles
S.-I. Do and R.D. Cummings (USA)
The hamster transferrin receptor contains Ser/Thr-linked oligosaccharides: use of a lectin-resistant CHO cell line to identify glycoproteins containing these linkages 153

A. Liras (Italy)
A rapid reliable method to use specific probes labelling polymerase chain reaction (PCR) products 167

D. Wheeler, L. Orban, M.M. Garner and A. Chrambach (USA, Hungary)
Computer-aided analysis of DNA curves on transverse gradient gels 171

J.S. Fawcett, D. Wheeler and A. Chrambach (USA)
Transverse agarose pore gradient gel electrophoresis of DNA 181

K.-i. Nakamura, Y. Okuya, M. Katahira, S. Yoshida, S. Wada and M. Okuno (Japan)
Analysis of tubulin isoforms by two-dimensional gel electrophoresis using SDS-polyacrylamide gel electrophoresis in the first dimension 195

H.-J. Lee, S.-H. Chiou and G.-G. Chang (Taiwan)
Staining of argininosuccinate lyase activity in polyacrylamide gel 205

V.S. Lee and L. Tarassenko (USA, UK)
An optical method for the determination of platelet count in platelet samples contaminated with red blood cells 215

S. Kirkeby, D. Moe, T. Bøg-Hansen, C. Garbarsch and M.E. Matthiessen (Denmark)
Quantitative PAS assay of some carbohydrate compounds and detergents 225

S.E. D'Souza, W. Altekar and S.F. D'Souza (India)
A novel technique for the preparation of osmotically stabilized and permeabilized cells of extremely halophilic bacteria 239

T. Cserháti and K. Magyar (Hungary)
Relationship between the hydrophobic and hydrophilic molecular parameters of some monoamine oxidase inhibitory drugs, determined by means of adsorptive and reversed-phase thin-layer chromatography 249

M. Fountoulakis, J.-F. Juranville and M. Manneberg (Switzerland)
Comparison of the Coomassie brilliant blue, bicinchoninic acid and Lowry quantitation assays, using non-glycosylated and glycosylated proteins 265

M.L. Pascual, T. Muiño-Blanco, J.A. Cebrian-Perez and M.J. Lopez-Perez (Spain)
Management of sedimentation in centrifugal counter-current distribution of sperm cells in an aqueous 2-phase system 275

P. Santambien, P. Girot, I. Hulak and E. Boschetti (France)
Immunochemical quantification of Procion Red HE-3B used as ligand in affinity chromatography 285

K. Ashizawa and S.-y. Cheng (USA)
A sensitive and rapid in situ immunoassay to quantitatively determine the cellular antigens in intact cultured cells 297

I.N. Boe, R.E. Lovrien and D.W. Karl (USA)
Stripping interfering sugars from samples using adapted bacteria 309

Author Index 321

Subject Index 325

Contents of Volume 24 327